

SIMRAD Preisliste Hauptgeräte 2012

Endkunden Preisliste 2012 in CHF
List de prix pour Clients 2012 Francs Suisse
Price list endusers 2012 in swiss francs

Sehr geehrte Kunden

Wir freuen uns, Ihnen die aktuelle Endkundenpreisliste aller **SIMRAD** Freizeit Produkten für das Jahr 2011 zu unterbreiten.

Bei Fragen zu einzelnen Produkten beraten wir Sie gerne. Auf unserer Website haben wir nicht sämtliche **SIMRAD** Produkte aufgeführt. Bitte fragen Sie nach.

Cher Clients

Nous sommes content de vous présenter la list de prix actuel de tous les produits **SIMRAD** loisirs 2011. Nous sommes à votre service pour vous aider pour trouvez les produits juste.

Dear customers

We are pleased to present you the latest enduser price list for all **SIMRAD** leisure 2011 products. We are looking forward to give you the best possible support and advise to find your best product.

Ihr Partner für **SIMRAD** Produkte in der Schweiz:

Your partner for **SIMRAD** products in Switzerland:

Votre partenaire pour produits **SIMRAD** en Suisse:

Nautic Electronics GmbH

Unsere Kontaktadressen:
Our locations and addresses:
Nos locations et adresses:



Verkauf & Distribution

Sales & distribution

vente et distribution

Nautic Electronics GmbH
Spezialist für Yacht-Navigation/-Elektronik
Buelstrasse 20
CH-6052 Hergiswil / NW
Schweiz

MWST-Nr. : 617588

Tel : +41 41 630 14 34

Fax : +41 41 630 14 31

Internet: www.nautic-electronics.com

Marketing & Sales: sales@nautic-electronics.com

Administration: info@nautic-electronics.com

Stellen / Jobs: jobs@nautic-electronics.com

Für Fragen oder weitere Informationen stehen wir Ihnen selbstverständlich jederzeit gerne zur Verfügung.

For further information or documentation please don't hesitate to contact us directly.

Pour plus des informations et des documentations vous pouvez contacter nous directement.

Simrad Preisliste Hauptgeräte 2012

Autopilotendisplay, Computer, Bedieneinheiten	CHF inkl.
R3000X Hand-held Remote Control:	401
JS10 Steering lever (NFU): Provides course change in Auto mode.	413
AP24 Control Unit: With white weather cover. Optional for NSO / NSE	746
AP28 Control Unit: With white weather cover. Optional for NSO / NSE	1'344
S35 Non Follow Up Steering Lever:	605
SG05 Volvo EVC Kit	1'292
AP70 Control unit	1'709
FU80 Follow UP remote unit with display	1'015
QS80 Quickstick remote unit with display	1'015
NF80 Non Follow Up remote unit with display	1'015
AC70 Autopilot Computer	1'869
AC12 Computer with Simkit-1. For RPU80, HLD350Mk2, MSD50, SD10 and solenoid steering.	1'344
AC42 Computer with Simkit-1. "Heavy duty" version for RPU160, RPU300, HLD2000 and DD15	2'092
AP70 Pack (AP70, AC70, RF300, without heading sensor)	3'588
AP70 Thruster Pack (AP70, AC70, RF300, RC42, SD80)	4'784
Autopilotenpakete	
AP24 System with AC12 Comp, RC42 Rate Compass, Simkit-1 and RF300 Feedback	3'095
AP24 Virtual Rudder Feedback with AC12 Comp and RC42 Rate Compass	2'736
AP24 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - Requires Drive	3'827
AP24 Virtual Rudder Feedback with AC42 Comp and RC42 Rate Compass	3'468
AP24 System with AC12 Comp, RC42 Rate Compass and RF300 Feedback - with RPU80	3'797
AP24 Virtual Rudder Feedback System with AC12 Comp, RC42 Rate Compass - with RPU80	3'439
AP24 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - with RPU160	4'874
AP24 Virtual Rudder Feedback System with AC42 Comp, RC42 Rate Compass - with RPU160	4'515
AP28 System with AC12 Comp, RC42 Rate Compass and RF300 Feedback - Requires Drive	3'866
AP28 System with AC12 Comp and RC42 Rate Compass	3'509
AP28 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - Requires Drive	4'614
AP28 System with AC42 Comp and RC42 Rate Compass	4'256
AP28 System with AC12 Comp, RC42 Rate Compass and RF300 Feedback - with RPU80	4'717
AP28 System with AC12 Comp, RC42 Rate Compass - with RPU80 Pump	4'359
AP28 System with AC42 Comp, RC42 Rate Compass and RF300 Feedback - with RPU160	5'644
AP28 System with AC42 Comp, RC42 Rate Compass - with RPU160 Pump	5'286
Autopilotenantriebe	
HLD-350Mk2S Short: 8" stroke hydraulic linear drive with by-pass valve (AC12 required)	2'391
HLD-350Mk2S Short Split: 8" stroke hydraulic linear drive unit (AC12 required)	2'540
HLD-2000Mk2S Short Split: 8" stroke hydraulic linear drive unit (AC42 required)	4'783
HLD-2000Mk2S Long: 13" stroke hydraulic linear drive unit (AC42 required)	2'839
HLD-2000Mk2S Long Split: 13" stroke hydraulic linear drive unit (AC42 required)	2'989
HLD-2000Mk2S Long Dual: 13" stroke hydraulic linear drive unit (AC42 required)	5'082
RPU-80: Reversible Pump. 4.9 - 12 cu. in. (AC12 required). 12V DC	851
RPU-160: Reversible Pump. 9.8 - 24 cu. in. (AC42 required). 12V DC	1'030
RPU-300-12 V: Drive Unit Complete 23-36 cu. in. (AC42 required)	1'419
RPU-300: With 24 V motor and same flow rate (183cui/min). Requires 24 or 32 V DC mains input.	1'419
MSD50: 12 V Mechanical Drive Unit for stern drive engines (AC12 required)	2'017
Mounting kit #1.	357
Mounting kit #2.	335
Mounting kit #3.	477
Mounting kit #4. For Volvo Penta® 41 series (the old type servo in effect until 1993)	447
DD15 Drive unit for sailboats 30'-40'	2'839
SD10 Mechanical Drive unit for sailboat 25'-37'	1'688

Diverse Geber	CHF inkl.
EP-90R Pressure sensor, with 3 m (10 ft) cable and T-connector	136
EP-60R Fuel flow sensor, with 10 ft cable and T-connector	136
EP-65R Fluid level sensor, with 10 ft cable and T-connector	120
EP-70R Transom mount paddlewheel speed sensor, with 3 m (10 ft) cable and T-connector	120
EP-80R Transom mount temperature sensor, with 3 m (10 ft) cable and T-connector	120
EP-80R Thru-hull temperature sensor, with 3 m (10 ft) cable and T-connector	120
EP-85R Fuel usage/range sensor for Evinrude engines, with 3m (10 ft) cable and T-connector	120
Tiefensensoren	
DST800 active D/S/T TH plastic 235 kHz transducer with 2 m (7 ft) cable	432
THSST-DF StructureScan™ Sonar Plastic thru-hull transducer	457
P319 Plastic Low Profile 600W Thru Hull 50/200Khz Depth/Temp, 12 m	253
P79 Plastic 600W In-Hull 50/200Khz Depth Only, , 12 m	187
B744V Bronze 600W Thru Hull 50/200Khz Depth/Temp/Speed w/HS Fairing Block, 12 m	597
BRONZE StructureScan™ Sonar thru-hull transducer.	896
B744V Transducer thru-hull bronze, D/S/T, 600 W with fairing, 50/200 kHz, 2" cutout, LT6 - 12m	522
M260 Transducer in-hull depth, 1 kW with mounting tank, 50/200 kHz, LT6 conn - 12 m	1'269
P319 Transducer thru-hull nylon, depth, 600 W, 50/200 kHz, 2" cutout, LT6 Conn - 12m	238
Instrumente	
IS20 Wind instrument with 0.3 m (1 ft) SimNet cable	656
IS20 Graphic instrument with 0.3 m (1 ft) SimNet cable	597
IS20 Tack instrument with 0.3 m (1 ft) SimNet cable	567
IS20 Compass instrument with 0.3 m (1 ft) SimNet cable	597
IS20 Rudder instrument with 0.3 m (1 ft) SimNet cable	597
IS20 Combi instrument (speed, depth and temp) with 0.3 m (1 ft) SimNet cable	537
Wind System Package	1'150
Sailboat Wind/Combi Depth & Speed Package	1'987
Combigeräte NSE - Serie	
NSE8 Multifunction Display (EU Version)	4'334
NSE12 Multifunction Display (EU Version)	5'979
Combigeräte NSO- Serie	
DI10 Display - 10" Simrad monitor	1'831
DI15 Display - 15" Simrad monitor	3'587
NSO15 ROW - NSO15 with embedded Navionics Silver cartography for AU / ROW	8'894
NSO15 EMEA - NSO15 with embedded Navionics Silver cartography for EMEA	8'445
OP40 Wired Remote - includes OP40 wired remote, 4 m (13 ft) Micro-C to SimNet cable	582
NSO Chart Reader - Includes reader with 1.5 m (5 ft) USB cable and flush mount template.	268
Simrad MO15-L Monitor - 15" Hi-Bright LED Backlit Monitor with remote keypad.	9'710
Simrad MO17-L Monitor - 17" Hi-Bright LED Backlit Monitor with remote keypad.	12'700
Simrad MO19-L Monitor - 19" Hi-Bright LED Backlit Monitor with remote keypad.	13'747
Combigeräte NSS - Serie	
NSS7 Multifunction Display (EU Version)	1'942
NSS8 Multifunction Display (EU Version)	3'587
NSS12 Multifunction Display (EU Version)	4'932

Radarantennen	CHF inkl.
Broadband 3G™ Radar kit for Simrad NSO/NSE/NSS series	2'241
BroadBand 4G Radar kit	2'989
RI10 - Radar Interface Junction Box for Broadband Radars	298
RI11 -Radar Interface Junction Box for Broadband Radars	298
DX42S-1 18" Radome 2 kW with 15 m (49 ft) cable and Radar processor	2'241
DX64S-1 24" Radome 4 kW with 15 m (49 ft) cable and Radar processor	3'506
TX06S-1 6 kW, 4 ft open array Radar Kit.	5'233
TX10-1 10kW 6' Open array Radar and Processor Kit.	7'922
Antennenhalterungen	
LMB-A1 Self-leveling radar backstay (aft) mount for Broadband Radar	2'346
LMB-A2 for Simrad 18" radome Self leveling back stay mount (rear facing)	2'346
PT2001 PowerTower for Broadband Radar - 350mm (14") white composite	597
PT2002 Composite Power tower for 18" radome (not applicable for 24") H:350 mm (14") white	597
PT2004 PowerTower for Broadband Radar - 150mm (6") white composite	522
PT2005 Composite power tower for 18" and 24" radomes H:150 mm (6") white.	522
PT3010 4° wedge for composite and aluminium PowerTower for Broadband Radar	145
SC12 Mast mount kit for Simrad 18" radome	413
SC20 Mast mount kit for Broadband Radar	477
SC21 Mast mount kit for Simrad 24" radome - requires 19042 adapter plate	546
Pinnenpiloten	
Tillerpilot TP10	582
Tillerpilot TP22 – SimNet/NMEA	776
Tillerpilot TP32 – SimNet/NMEA	963
VHF Funkgeräte	
RS10 VHF system (with fist mic)EU, APAC	288
RS25 VHF system (with alpha fist mic) EU, APAC	441
HH33 Handheld Radio. GPS/DSC.EU / UK	342
RS82 Dual station handset. Includes dVHF handset, LS80 waterproof speaker.	531
RS87 Dual station handset. Includes handset, ext. speaker with 5 m (16 ft) cable.	623
RS82 VHF system.	1'344
RS87 VHF system.	1'976
Zubehör	
LF3000 Linear Feedback	507
LFI3000MK2	193
RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	365
RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box	771
RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	395
AT10 Two way general NMEA 0183 to SimNet converter	142
AT10HD Two way NMEA 0183 heading data only to SimNet converter	136
NMEA 2000® starter kit	75
GS15 Antenna with 4m (13ft) Micro-C to SimNet Cable	477
Broadband Sounder Module (BSM-1)	1'045
AI50 AIS Class B transponder (GPS antenna included)	1'643
NAIS-300L Class-B AIS with NMEA 2000® interface (GPS antenna included)	1'195
NEP-2 Network Expansion Port	380
Adapter cable, 7 pin BLUE to bare wires - for BSM-1	28
Broadband Sounder Module (BSM-2)	3'282
Simrad SonicHub™ pack - includes server and dock	522
Simrad LSS-1 StructureScan module only with Power Cable and mounting hardware	597
HS70 GPS Compass with Micro-C male connector. Network cable to be ordered separately	2'931
AI50 GPS Antenna	447
AT40 SimNet to NMEA 0183 Converter for NX40	148
FC40 Fluxgate Compass with 5 m (16.5 ft) SimNet Cable	567
RC42 Rate compass with 5 m (16ft) SimNet cable. Must be used for MARPA operation	821
WR20 Remote commander system	821